

# GENERAL LIGHT- ING

## GENERAL



**TKI**  
page 91



**TKO**  
page 92



**BALOK**  
page 93



**GMS**  
page 94



**RM**  
page 95



**DOWNLIGHT**  
page 96



**DIFFUSER**  
page 97



**EXIT**  
page 98




**PANEL**  
page 99

SKY PANEL




Light source



Description :  
 • Material high quality steel body  
 amp to be ordered separately

Example :  
 SKY-PANEL -6-830-1-1

How to Specify :




Product Code	Wattage (W)	D	Height	Lumen (lm)	CCT	Beam Angle°	Control Gear
SKY-PANEL	<b>6</b> 6W	121	21	510	<b>830</b> 3000K	<b>1</b> 110°	<b>1</b> Non-dim
	<b>9</b> 9W	146	21	765	<b>865</b> 6500K		<b>2</b> TRIAC-dim
	<b>15</b> 15W	172	21	1275			<b>3</b> 0-10V
	<b>18</b> 18W	222	21	1350			<b>4</b> DALI

SKY TKI



Light source




Description :  
 • Material high quality steel body  
 • lamp to be ordered separately

Example :

SKY -TKI - 2 - 060

How to Specify :



Product Code	Type	Width	Height	Length
SKY-TKI	<b>1</b> 1xTL	200	90	<b>060</b> 600
	<b>2</b> 2xTL	300	90	<b>120</b> 1200
	<b>4</b> 4xTL	600	90	


\*For type 4XTL only use Length 600mm.

SKY TKO



Light source

LED



IP20


Description :

- Material high quality steel body
- lamp to be ordered separately

Example :

SKY-TKO - 2 - 060

How to Specify :




Product Code	Type	Width	Height	Length
SKY-TKO	<b>1</b> 1xTL	60	40	<b>060</b> 610
	<b>2</b> 2xTL	100	40	<b>120</b> 1220

SKY BALOK



Light source

LED



IP20


Description :

- Material high quality steel body
- lamp to be ordered separately

Example :

SKY-BALOK - 2 - 060

How to Specify :




Product Code	Type	Width	Height	Length
SKY-BALOK	<b>1</b> 1xTL	55	40	<b>060</b> 610
	<b>2</b> 2xTL	60	40	<b>120</b> 1220

**SKY GMS**



**Light source**

LED



IP20


**Description :**

- Material high quality steel body
- lamp to be ordered separately

**Example :**

SKY-GMS - 2 - 060

**How to Specify :**




Product Code	Type	Width	Hight	Length
SKY-GMS	<b>1</b> 1xTL	80	100	<b>060</b> 610
	<b>2</b> 2xTL	120	100	<b>120</b> 1220

**SKY RM**



**Light source**

LED



IP20


**Description :**

- Material high quality steel body
- lamp to be ordered separately

**Example :**

SKY-RM - 2 - 060


**How to Specify :**



Product Code	Type	Width	Hight	Length	Body Finish
SKY-RM	<b>1</b> 1xTL	200	90	<b>060</b> 600	<b>M1</b> White
	<b>2</b> 2xTL	300	90	<b>120</b> 1200	<b>M5</b> Miror
	<b>3</b> 3xTL	600	90		
	<b>4</b> 4xTL	300	90		

\*For type 4XTL only use Length 600mm.

SKY DOWNLIGHT E27



Light source

LED

- Description :
- Material high quality steel body
  - lamp to be ordered separately

IP20

Example :

SKY-DE27 - 4

How to Specify :

SKY-DE27

Product Code	Type	Cut Out	Height
SKY-DE27	4 D 100	Ø90	140
	5 D 145	Ø155	140


SKY DIFFUSER



Light source

LED

- Description :
- Material high quality steel body
  - lamp to be ordered separately



IP20

Example :

SKY-DIFF - 2 - 060

How to Specify :

SKY-DIFF

Product Code	Type	Width	Height	Length
SKY-DIFF	1 1xTL	200	200	060 600
	2 2xTL	300	200	120 1200
	3 3xTL	600	200	
	4 4xTL	300	200	

\*For type 4XTL only use Length 600mm.

SKY EXIT




Light source

LED

Description :


- Material high quality steel body
- lamp to be ordered separately



Example :

SKY-EXIT- 4

How to Specify :



Product Code	Wattage	Width	Height	Length
SKY-EXIT	4 4W	84	220	465



**PT SKYLITE SURYA INTERNUSA**

Gelam Jaya, Pasar Kemis

Tangerang, Banten 15560

T. +62 821 2334 9158

E. Marketing@skylite.co.id

E. skylite\_yati@yahoo.com